

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1

200 ↗




FIG.2A




FIG.2B

Title Hiv Gp41 Core Structure

Classification Glycoprotein

Compound Mol_Id: 1; Molecule: Hiv-1 Gp41 Glycoprotein; Chain: N, C; Fragment: Protease-Resistant Core; Biological_Unit: Trimer; Other_Details: N36 and C34 Are Synthetic Peptides

Exp. Method X-ray Diffraction



Download/Display File

Summary Information

Save full entry to disk

20-APR-97 1AIK

View Structure

Download/Display File

Structural Neighbors

Geometry

Other Sources

Sequence Details

SearchLite SearchFields

| | |
|--------|---|
| HEADER | GLYCOPROTEIN |
| TITLE | HIV GP41 CORE STRUCTURE |
| COMPND | MOL_ID: 1; |
| COMPND | 2 MOLECULE: HIV-1 GP41 GLYCOPROTEIN; |
| COMPND | 3 CHAIN: N, C; |
| COMPND | 4 FRAGMENT: PROTEASE-RESISTANT CORE; |
| COMPND | 5 BIOLOGICAL_UNIT: TRIMER; |
| COMPND | 6 OTHER_DETAILS: N36 AND C34 ARE SYNTHETIC PEPTIDES |
| SOURCE | MOL_ID: 1; |
| SOURCE | 2 ORGANISM_SCIENTIFIC: HUMAN IMMUNODEFICIENCY VIRUS TYPE 1; |
| SOURCE | 3 STRAIN: HXB2; |
| SOURCE | 4 CELLULAR_LOCATION: VIRAL MEMBRANE |
| KEYWDS | HIV, GP41, ENVELOPE GLYCOPROTEIN, RETROVIRUS |
| EXPDTA | X-RAY DIFFRACTION |
| AUTHOR | D.C.CHAN, D. FASS, J.M. BERGER, P.S. KIM |
| REVDTA | 1 16-JUN-97 1AIK 0 |
| REMARK | 1 |

FIG.3A

| | | | | |
|--------|---|-----------------------------------|--|----------------|
| REMARK | 1 | REFERENCE | 1 | |
| REMARK | 1 | AUTH | D.C.CHAN,D.FASS,J.M.BERGER,P.S.KIM | |
| REMARK | 1 | TITL | CORE STRUCTURE OF GP41 FROM THE HIV ENVELOPE | |
| REMARK | 1 | TITL | 2 GLYCOPROTEIN | |
| REMARK | 1 | REF | CELL (CAMBRIDGE,MASS.) | V. 89 263 1997 |
| REMARK | 1 | REFN | ASTM CELLB5 US ISSN 0092-8674 | 0998 |
| REMARK | 2 | | | |
| REMARK | 2 | RESOLUTION. | 2.0 | ANGSTROMS. |
| REMARK | 3 | | | |
| REMARK | 3 | REFINEMENT. | | |
| REMARK | 3 | PROGRAM | : X-PLOR | 3.851 |
| REMARK | 3 | AUTHORS | : BRUNGER | |
| REMARK | 3 | | | |
| REMARK | 3 | DATA USED IN REFINEMENT. | | |
| REMARK | 3 | RESOLUTION RANGE HIGH (ANGSTROMS) | : | 2.0 |
| REMARK | 3 | RESOLUTION RANGE LOW (ANGSTROMS) | : | 12.0 |
| REMARK | 3 | DATA CUTOFF (SIGMA(F)) | : | 2.0 |
| REMARK | 3 | DATA CUTOFF HIGH (ABS (F)) | : | 100000000. |
| REMARK | 3 | DATA CUTOFF LOW (ABS (F)) | : | NULL |
| REMARK | 3 | COMPLETENESS (WORKING+TEST) (%) | : | 96.5 |
| REMARK | 3 | NUMBER OF REFLECTIONS | : | 5683 |
| REMARK | 3 | | | |
| REMARK | 3 | FIT TO DATA USED IN REFINEMENT. | | |
| REMARK | 3 | CROSS-VALIDATION METHOD | : | THROUGHOUT |
| REMARK | 3 | FREE R VALUE TEST SET SELECTION | : | RANDOM |
| REMARK | 3 | R VALUE (WORKING SET) | : | 0.238 |
| REMARK | 3 | FREE R VALUE | : | 0.266 |
| REMARK | 3 | FREE R VALUE TEST SET SIZE (%) | : | 7.12 |
| REMARK | 3 | FREE R VALUE TEST SET COUNT | : | 371 |
| REMARK | 3 | ESTIMATED ERROR OF FREE R VALUE | : | NULL |
| REMARK | 3 | | | |

FIG.3B

| | | | |
|--------|---|--|--------|
| REMARK | 3 | FIT IN THE HIGHEST RESOLUTION BIN. | |
| REMARK | 3 | TOTAL NUMBER OF BINS USED | : NULL |
| REMARK | 3 | BIN RESOLUTION RANGE HIGH (A) | : NULL |
| REMARK | 3 | BIN RESOLUTION RANGE LOW (A) | : NULL |
| REMARK | 3 | BIN COMPLETENESS (WORKING+TEST)(%) | : NULL |
| REMARK | 3 | REFLECTIONS IN BIN (WORKING SET) | : NULL |
| REMARK | 3 | BIN R VALUE (WORKING SET) | : NULL |
| REMARK | 3 | BIN FREE R VALUE | : NULL |
| REMARK | 3 | BIN FREE R VALUE TEST SET SIZE (%) | : NULL |
| REMARK | 3 | BIN FREE R VALUE TEST SET COUNT | : NULL |
| REMARK | 3 | ESTIMATED ERROR OF BIN FREE R VALUE | : NULL |
| REMARK | 3 | | |
| REMARK | 3 | NUMBER OF NON-HYDROGEN ATOMS USED IN REFINEMENT. | |
| REMARK | 3 | PROTEIN ATOMS | : 596 |
| REMARK | 3 | NUCLEIC ACID ATOMS | : 0 |
| REMARK | 3 | HETEROGEN ATOMS | : 0 |
| REMARK | 3 | SOLVANT ATOMS | : 43 |
| REMARK | 3 | | |
| REMARK | 3 | B VALUES. | |
| REMARK | 3 | FROM WILSON PLOT (A**2) | : NULL |
| REMARK | 3 | MEAN B VALUE (OVERALL, A**2) | : NULL |
| REMARK | 3 | OVERALL ANISOTROPIC B VALUE. | |
| REMARK | 3 | B11 (A**2) | : NULL |
| REMARK | 3 | B22 (A**2) | : NULL |
| REMARK | 3 | B33 (A**2) | : NULL |
| REMARK | 3 | B12 (A**2) | : NULL |
| REMARK | 3 | B13 (A**2) | : NULL |
| REMARK | 3 | B23 (A**2) | : NULL |
| REMARK | 3 | | |
| REMARK | 3 | ESTIMATED COORDINATE ERROR. | |

FIG.3C

| | | | | | | | | |
|--------|---|---|-----------|---|-------|--|--|--------------|
| REMARK | 3 | ESD FROM LUZZATI PLOT | (A) | : | NULL | | | |
| REMARK | 3 | ESD FROM SIGMAA | (A) | : | NULL | | | |
| REMARK | 3 | LOW RESOLUTION CUTOFF | (A) | : | NULL | | | |
| REMARK | 3 | | | | | | | |
| REMARK | 3 | CROSS-VALIDATED ESTIMATED COORDINATE ERROR. | | | | | | |
| REMARK | 3 | ESD FROM C-V LUZZATI PLOT | (A) | : | NULL | | | |
| REMARK | 3 | ESD FROM C-V SIGMAA | (A) | : | NULL | | | |
| REMARK | 3 | | | | | | | |
| REMARK | 3 | RMS DEVIATIONS FROM IDEAL VALUES. | | | | | | |
| REMARK | 3 | BOND LENGTHS | (A) | : | 0.014 | | | |
| REMARK | 3 | BOND ANGLES | (DEGREES) | : | 2.742 | | | |
| REMARK | 3 | DIHEDRAL ANGLES | (DEGREES) | : | NULL | | | |
| REMARK | 3 | IMPROPER ANGLES | (DEGREES) | : | NULL | | | |
| REMARK | 3 | | | | | | | |
| REMARK | 3 | ISOTROPIC THERMAL MODEL | : | | NULL | | | |
| REMARK | 3 | | | | | | | |
| REMARK | 3 | ISOTROPIC THERMAL FACTOR RESTRAINTS. | | | | | | |
| REMARK | 3 | MAIN-CHAIN BOND | (A**2) | : | NULL | | | SIGMA |
| REMARK | 3 | MAIN-CHAIN ANGLE | (A**2) | : | NULL | | | NULL |
| REMARK | 3 | SIDE-CHAIN BOND | (A**2) | : | NULL | | | NULL |
| REMARK | 3 | SIDE-CHAIN ANGLE | (A**2) | : | NULL | | | NULL |
| REMARK | 3 | | | | | | | |
| REMARK | 3 | NCS MODEL | : | | NULL | | | |
| REMARK | 3 | | | | | | | |
| REMARK | 3 | NCS RESTRAINTS. | | | | | | |
| REMARK | 3 | GROUP 1 POSITIONAL | (A) | : | NULL | | | SIGMA/WEIGHT |
| REMARK | 3 | GROUP 1 B-FACTOR | (A**2) | : | NULL | | | NULL |
| REMARK | 3 | | | | | | | NULL |
| REMARK | 3 | PARAMETER FILE 1 | : | | NULL | | | |
| REMARK | 3 | PARAMETER FILE 2 | : | | NULL | | | |

FIG.3D

| | | | |
|------------|--|---|-------------------|
| REMARK 3 | TOPOLOGY FILE 1 | : | NULL |
| REMARK 3 | TOPOLOGY FILE 2 | : | NULL |
| REMARK 3 | OTHER REFINEMENT REMARKS : | | NULL |
| REMARK 4 | 1A1K COMPILES WITH FORMAT V. 2.2, | | 16-DEC-1996 |
| REMARK 6 | C-TERMINAL NH2 NOT IN ATOM LIST FOR BOTH CHAINS. | | |
| REMARK 200 | EXPERIMENTAL DETAILS | | |
| REMARK 200 | EXPERIMENT TYPE | : | X-RAY DIFFRACTION |
| REMARK 200 | DATE OF DATA COLLECTION | : | MAR-1997 |
| REMARK 200 | TEMPERATURE | : | (KELVIN) 100 |
| REMARK 200 | PH | : | 6.0 |
| REMARK 200 | NUMBER OF CRYSTALS USED | : | 1 |
| REMARK 200 | SYNCHROTRON | : | N |
| REMARK 200 | RADIATION SOURCE | : | NULL |
| REMARK 200 | BEAMLINE | : | NULL |
| REMARK 200 | X-RAY GENERATOR MODEL | : | RIGAKU RU200 |
| REMARK 200 | MONOCHROMATIC OR LAUE | : | M |
| REMARK 200 | WAVELENGTH OR RANGE | : | 1.5418 |
| REMARK 200 | MONOCHROMATOR | : | NULL |
| REMARK 200 | OPTICS | : | MIRRORS |
| REMARK 200 | DETECTOR TYPE | : | R-AXIS IIC |
| REMARK 200 | DETECTOR MANUFACTURER | : | RIGAKU |
| REMARK 200 | INTENSITY-INTEGRATION SOFTWARE | : | DENZO |
| REMARK 200 | DATA SCALING SOFTWARE | : | SCALEPACK |
| REMARK 200 | NUMBER OF UNIQUE REFLECTIONS | : | 5287 |
| REMARK 200 | RESOLUTION RANGE HIGH | : | 2.0 (A) |

FIG.3E

| | | | | |
|------------|--|-------------------|---|-------|
| REMARK 200 | RESOLUTION RANGE LOW | (A) | : | 20.0 |
| REMARK 200 | REJECTION CRITERIA | (SIGMA (I)) | : | 1.5 |
| REMARK 200 | OVERALL: | | | |
| REMARK 200 | COMPLETENESS FOR RANGE | (%) | : | 96.5 |
| REMARK 200 | DATA REDUNDANCY | | : | NULL |
| REMARK 200 | R MERGE | (I) | : | NULL |
| REMARK 200 | R SYM | (I) | : | 0.054 |
| REMARK 200 | < 1/SIGMA (I) > FOR THE DATA SET | | : | 18.4 |
| REMARK 200 | IN THE HIGHEST RESOLUTION SHELL. | | | |
| REMARK 200 | HIGHEST RESOLUTION SHELL, RANGE HIGH | (A) | : | 2.00 |
| REMARK 200 | HIGHEST RESOLUTION SHELL, RANGE LOW | (A) | : | 2.07 |
| REMARK 200 | COMPLETENESS FOR SHELL | (%) | : | 98.9 |
| REMARK 200 | DATA REDUNDANCY IN SHELL | | : | NULL |
| REMARK 200 | R MERGE FOR SHELL | (I) | : | NULL |
| REMARK 200 | R SYM FOR SHELL | (I) | : | 0.263 |
| REMARK 200 | < 1/SIGMA (I) > FOR SHELL | | : | 5.4 |
| REMARK 200 | METHOD USED TO DETERMINE THE STRUCTURE: | MAD | | |
| REMARK 200 | SOFTWARE USED: | CCP4 SUITE | | |
| REMARK 200 | STARTING MODEL: | NULL | | |
| REMARK 200 | REMARK: DATA AT NSLS USED MAD METHODS. DATA COLLECTED ON | | | |
| REMARK 200 | AN OSMIUM-SOAK CRYSTAL AT WAVELENGTHS 1.1398, 1.1396, | | | |
| REMARK 200 | 1.1344, AND 1.1406 ANGSTOMS. | | | |
| REMARK 280 | CRYSTAL | | | |
| REMARK 280 | SOLVENT CONTENT, VS | (%) | : | 46. |
| REMARK 280 | MATTHEWS COEFFICIENT, VM | (ANGSTROMS**3/DA) | : | NULL |

FIG.3F

REMARK 280 CRYSTALLIZATION CONDITIONS: A 10 MG/ML STOCK WAS DILUTED
 REMARK 280 1:1 IN A SITTING DROP WITH 80 MM NH₄CL, 20 % PEG200, AND
 REMARK 280 50 % ISOPROPANOL, AND THEN ALLOWED TO EQUILIBRATE AGAINST
 REMARK 280 80 MM NH₄CL, 20 % PEG200, AND 30 % ISOPROPANOL.
 REMARK 290

REMARK 290 CRYSTALLOGRAPHIC SYMMETRY
 REMARK 290 SYMMETRY OPERATORS FOR SPACE GROUP: P 3 2 1
 REMARK 290

| SYMP | SYMMETRY |
|------|-------------|
| NNNN | OPERATOR |
| 1555 | X, Y, Z |
| 2555 | -Y, X-Y, Z |
| 3555 | Y-X, -X, Z |
| 4555 | Y, X, -Z |
| 5555 | X-Y, -Y, -Z |
| 6555 | -X, Y-X, -Z |

WHERE NNN -> OPERATOR NUMBER
 MMM -> TRANSLATION VECTOR

REMARK 290 CRYSTALLOGRAPHIC SYMMETRY TRANSFORMATIONS
 REMARK 290 THE FOLLOWING TRANSFORMATIONS OPERATE ON THE ATOM/HETATM
 REMARK 290 RECORDS IN THIS ENTRY TO PRODUCE CRYSTALLOGRAPHICALLY
 REMARK 290 RELATED MOLECULES.

| SMTRY1 | 1 | 1.000000 | 0.000000 | 0.000000 | 0.000000 |
|--------|---|-----------|-----------|----------|----------|
| SMTRY2 | 1 | 0.000000 | 1.000000 | 0.000000 | 0.000000 |
| SMTRY3 | 1 | 0.000000 | 0.000000 | 1.000000 | 0.000000 |
| SMTRY1 | 2 | -0.500021 | -0.866016 | 0.000000 | 0.000000 |
| SMTRY2 | 2 | 0.866035 | -0.499979 | 0.000000 | 0.000000 |
| SMTRY3 | 2 | 0.000000 | 0.000000 | 1.000000 | 0.000000 |
| SMTRY1 | 3 | -0.499979 | 0.866016 | 0.000000 | 0.000000 |
| SMTRY2 | 3 | -0.866035 | -0.500021 | 0.000000 | 0.000000 |

FIG. 3G

| | | | | | | | |
|--------|----------|------------------|-----|---|-----------------|-----------|-----------------------|
| REMARK | 290 | SMTRY3 | 3 | 0.000000 | 0.000000 | 1.000000 | 0.000000 |
| REMARK | 290 | SMTRY1 | 4 | -0.500021 | 0.865991 | 0.000000 | 0.000000 |
| REMARK | 290 | SMTRY2 | 4 | 0.866035 | 0.500021 | 0.000000 | 0.000000 |
| REMARK | 290 | SMTRY3 | 4 | 0.000000 | 0.000000 | -1.000000 | 0.000000 |
| REMARK | 290 | SMTRY1 | 5 | 1.000000 | 0.000050 | 0.000000 | 0.000000 |
| REMARK | 290 | SMTRY2 | 5 | 0.000000 | -1.000000 | 0.000000 | 0.000000 |
| REMARK | 290 | SMTRY3 | 5 | 0.000000 | 0.000000 | -1.000000 | 0.000000 |
| REMARK | 290 | SMTRY1 | 6 | -0.499979 | -0.866041 | 0.000000 | 0.000000 |
| REMARK | 290 | SMTRY2 | 6 | -0.866035 | 0.499979 | 0.000000 | 0.000000 |
| REMARK | 290 | SMTRY3 | 6 | 0.000000 | 0.000000 | -1.000000 | 0.000000 |
| REMARK | 290 | REMARK: NULL | | | | | |
| REMARK | 999 | SEQUENCE | | | | | |
| REMARK | 999 | 1AIK C | C | SWS | P04582 | 1 - | 621 NOT IN ATOMS LIST |
| REMARK | 999 | 1AIK N | C | SWS | P04582 | 657 - | 851 NOT IN ATOMS LIST |
| REMARK | 999 | 1AIK C | N | SWS | P19551 | 1 - | 542 NOT IN ATOMS LIST |
| REMARK | 999 | 1AIK N | N | SWS | P19551 | 580 - | 853 NOT IN ATOMS LIST |
| DBREF | 1AIK C | 0 | 661 | SWS | P04582 | ENV_HVIB8 | 622 |
| DBREF | 1AIK N | 0 | 581 | SWS | P19551 | ENV_HVIMF | 543 |
| SEQADV | 1AIK ACE | C | 0 | SWS | P04582 | THR | 622 CONFLICT |
| SEQADV | 1AIK ACE | N | 0 | SWS | P19551 | LEU | 543 CONFLICT |
| SEQRES | 1 N | 38 | ACE | SER GLY ILE VAL GLN GLN ASN LEU LEU ARG | ASN LEU LEU ARG | | |
| SEQRES | 2 N | 38 | ALA | ILE GLU ALA GLN GLN HIS LEU LEU THR VAL | LEU LEU THR VAL | | |
| SEQRES | 3 N | 38 | TRP | GLY ILE LYS GLN LEU GLN ALA ARG ILE LEU NH2 | ILE LEU NH2 | | |
| SEQRES | 1 C | 36 | ACE | TRP MET GLU TRP ASP ARG GLU ILE ASN ASN TYR THR | ASN ASN TYR THR | | |
| SEQRES | 2 C | 36 | SER | LEU ILE HIS SER LEU ILE GLU GLU SER GLN ASN GLN | SER GLN ASN GLN | | |
| SEQRES | 3 C | 36 | GLN | GLU LYS ASN GLU GLN GLU LEU LEU NH2 | GLU LEU LEU NH2 | | |
| HET | ACE | N | 0 | 3 | | | |
| HET | ACE | C | 0 | 3 | | | |
| HETNAM | 1 | ACE ACETYL GROUP | | | | | |
| FORMUL | | ACE | C2 | H3 | O1 | | |

FIG.3H

| | | | | | | | | | | | |
|------|----|-----|-----|---|-----|--------|--------|---------|------|-------|---|
| ATOM | 19 | C | ILE | N | 548 | 20.218 | 14.116 | -12.696 | 1.00 | 51.31 | C |
| ATOM | 20 | O | ILE | N | 548 | 20.543 | 14.273 | -11.519 | 1.00 | 50.83 | O |
| ATOM | 21 | CB | ILE | N | 548 | 21.693 | 13.043 | -14.436 | 1.00 | 54.22 | C |
| ATOM | 22 | CG1 | ILE | N | 548 | 22.120 | 11.712 | -15.087 | 1.00 | 54.58 | C |
| ATOM | 23 | CG2 | ILE | N | 548 | 22.861 | 13.705 | -13.721 | 1.00 | 55.25 | C |
| ATOM | 24 | CD1 | ILE | N | 548 | 23.126 | 11.909 | -16.234 | 1.00 | 56.29 | C |
| ATOM | 25 | H | ILE | N | 548 | 19.445 | 12.272 | -15.118 | 1.00 | 0.00 | H |
| ATOM | 26 | N | VAL | N | 549 | 19.590 | 15.054 | -13.393 | 1.00 | 50.93 | N |
| ATOM | 27 | CA | VAL | N | 549 | 19.093 | 16.291 | -12.786 | 1.00 | 50.79 | C |
| ATOM | 28 | C | VAL | N | 549 | 18.036 | 15.977 | -11.726 | 1.00 | 50.36 | C |
| ATOM | 29 | O | VAL | N | 549 | 17.992 | 16.598 | -10.674 | 1.00 | 51.60 | O |
| ATOM | 30 | CB | VAL | N | 549 | 18.451 | 17.196 | -13.841 | 1.00 | 52.28 | C |
| ATOM | 31 | CG1 | VAL | N | 549 | 17.814 | 18.437 | -13.226 | 1.00 | 54.97 | C |
| ATOM | 32 | CG2 | VAL | N | 549 | 19.539 | 17.650 | -14.780 | 1.00 | 51.05 | C |
| ATOM | 33 | H | VAL | N | 549 | 19.486 | 14.911 | -14.360 | 1.00 | 0.00 | H |
| ATOM | 34 | N | GLN | N | 550 | 17.187 | 15.030 | -12.001 | 1.00 | 49.13 | N |
| ATOM | 35 | CA | GLN | N | 550 | 16.176 | 14.508 | -11.109 | 1.00 | 49.23 | C |
| ATOM | 36 | C | GLN | N | 550 | 16.843 | 13.895 | -9.861 | 1.00 | 48.50 | C |
| ATOM | 37 | O | GLN | N | 550 | 16.520 | 14.236 | -8.736 | 1.00 | 47.94 | O |
| ATOM | 38 | CB | GLN | N | 550 | 15.452 | 13.398 | -11.814 | 1.00 | 52.96 | C |

302

FIG.3J

| | | | | | | | | | | | |
|------|----|-----|-----|---|-----|--------|--------|---------|------|-------|---|
| ATOM | 29 | O | VAL | N | 549 | 17.992 | 16.598 | -10.674 | 1.00 | 51.60 | O |
| ATOM | 30 | CB | VAL | N | 549 | 18.451 | 17.196 | -13.841 | 1.00 | 52.28 | C |
| ATOM | 31 | CG1 | VAL | N | 549 | 17.814 | 18.437 | -13.226 | 1.00 | 54.97 | C |
| ATOM | 32 | CG2 | VAL | N | 549 | 19.539 | 17.650 | -14.780 | 1.00 | 51.05 | C |
| ATOM | 33 | H | VAL | N | 549 | 19.486 | 14.911 | -14.360 | 1.00 | 0.00 | H |
| ATOM | 34 | N | GLN | N | 550 | 17.187 | 15.030 | -12.001 | 1.00 | 49.13 | N |
| ATOM | 35 | CA | GLN | N | 550 | 16.176 | 14.508 | -11.109 | 1.00 | 49.23 | C |
| ATOM | 36 | C | GLN | N | 550 | 16.843 | 13.895 | -9.861 | 1.00 | 48.50 | C |
| ATOM | 37 | O | GLN | N | 550 | 16.520 | 14.236 | -8.736 | 1.00 | 47.94 | O |
| ATOM | 38 | CB | GLN | N | 550 | 15.452 | 13.398 | -11.814 | 1.00 | 52.96 | C |

FIG.3L

| | | | | | | | | |
|------|----|------|-----|---|-----|--------|--------|---------|
| ATOM | 27 | C | ILE | A | 548 | -4.532 | -0.174 | -12.696 |
| ATOM | 28 | O | ILE | A | 548 | -4.207 | -0.017 | -11.519 |
| ATOM | 29 | CB | ILE | A | 548 | -3.057 | -1.247 | -14.436 |
| ATOM | 30 | CG1 | ILE | A | 548 | -2.630 | -2.578 | -15.087 |
| ATOM | 31 | CG2 | ILE | A | 548 | -1.889 | -0.585 | -13.721 |
| ATOM | 32 | CD1 | ILE | A | 548 | -1.624 | -2.381 | -16.234 |
| ATOM | 33 | H | ILE | A | 548 | -5.306 | -2.001 | -15.154 |
| ATOM | 34 | HA | ILE | A | 548 | -3.897 | -2.193 | -12.663 |
| ATOM | 35 | HB | ILE | A | 548 | -3.403 | -0.592 | -15.236 |
| ATOM | 36 | 2HG1 | ILE | A | 548 | -3.517 | -3.073 | -15.482 |
| ATOM | 37 | 3HG1 | ILE | A | 548 | -2.171 | -3.208 | -14.325 |
| ATOM | 38 | 1HG2 | ILE | A | 548 | -1.076 | -0.420 | -14.429 |
| ATOM | 39 | 2HG2 | ILE | A | 548 | -1.543 | -1.232 | -12.915 |
| ATOM | 40 | 3HG2 | ILE | A | 548 | -2.211 | 0.371 | -13.307 |
| ATOM | 41 | 1HD1 | ILE | A | 548 | -1.359 | -3.351 | -16.655 |
| ATOM | 42 | 2HD1 | ILE | A | 548 | -0.727 | -1.893 | -15.851 |
| ATOM | 43 | 3HD1 | ILE | A | 548 | -2.073 | -1.759 | -17.008 |
| ATOM | 44 | N | VAL | A | 549 | -5.160 | 0.764 | -13.393 |
| ATOM | 45 | CA | VAL | A | 549 | -5.657 | 2.001 | -12.786 |
| ATOM | 46 | C | VAL | A | 549 | -6.714 | 1.687 | -11.726 |
| ATOM | 47 | O | VAL | A | 549 | -6.758 | 2.308 | -10.674 |
| ATOM | 48 | CB | VAL | A | 549 | -6.299 | 2.906 | -13.841 |
| ATOM | 49 | CG1 | VAL | A | 549 | -6.936 | 4.147 | -13.226 |
| ATOM | 50 | CG2 | VAL | A | 549 | -5.211 | 3.360 | -14.780 |
| ATOM | 51 | H | VAL | A | 549 | -5.301 | 0.619 | -14.382 |
| ATOM | 52 | HA | VAL | A | 549 | -4.805 | 2.508 | -12.333 |
| ATOM | 53 | HB | VAL | A | 549 | -7.080 | 2.340 | -14.348 |
| ATOM | 54 | 1HG1 | VAL | A | 549 | -7.378 | 4.757 | -14.014 |
| ATOM | 55 | 2HG1 | VAL | A | 549 | -6.174 | 4.725 | -12.703 |

FIG.4B




FIG. 6




FIG.7B




FIG.7A






FIG.8


HISTIDINE TERMINI
 (4 NEUTRAL CONFORMERS, 2 PROTONATED
 CONFORMERS, AS APPROPRIATE)



ASPARAGINE & GLUTAMINE RESIDUE TERMINI
 (TWO CONFORMATIONS AS SHOWN BELOW)



TYROSINE, SERINE, CYSTEINE, THREONINE TERMINI
 (MULTIPLE ROTOR STATES AROUND THE R-X BOND)



THE R IN EACH CASE IS THE REMAINDER OF
 SPECIFIC RESIDUE UNDER STUDY.

FIG.9